HellermannTyton

Specification Sheet

Part Number: TAG69T1-336

HellermannTyton

Thermal Transfer Labels, 2.0" x .275", 1 Across, Polyester, White, 10,000/roll

Article Number	596-00041
Туре	TAG69T1
Color	White (WH)
Features & Benefits	• Thermal transfer labels are made with high performance materials for long term industrial applications. • Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model. • The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.
Quantity Per	roll

Product Description

Labels are made with various high performance materials including polyester, metalized polyester, clear polyester, cloth, polyimide and the Durattach label stock. The construction includes an aggressive acrylic adhesive and abrasion and chemical resistant top coatings that are made to accept ink from a thermal transfer printer. The product is supplied on rolls on a 3" cardboard core.

Short Description	Thermal Transfer Labels, 2.0" x .275", 1 Across, Polyester, White, 10,000/roll
Global Part Name	TAG69T1-336-WH
Width W (Imperial)	2.0
Width W (Metric)	50.8
Thickness T (Metric)	64.0
Height H (Imperial)	0.275
Height H (Metric)	6.98
Width of Liner (Metric)	53.97
Width of Liner (imperial)	2.125
Material	Type 336, Polyester
Material Shortcut	336
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)

ROHS Complaint Yes Certification/Specification WEB UL-Recognized UL Recognized (US) Yes Package Quantity(Imperial) 10000
UL Recognized (US) Yes
Package Quantity(Imperial) 10000
Package Quantity(Imperial) 10000
Package Quantity (Metric) 10000
Customs Number 3919102055
Labels per Column 1
Labels per Row 1
Weight (Metric) 0.68
Weight (Imperial) 1.48

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

 $[\]hbox{@ 2018 HellermannTyton. All rights reserved.}$