




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	Z	REVISED PER ECO-07-010234	5/2/07	SS	GS		
	Z1	REVISED PER ECO-09-020935	09SEP09	KK	AEG		



- 1 CONTACTS ARE AUTOMATICALLY WIREABLE.
- 2 POST LENGTH WILL ACCEPT 3 TERMINATIONS.
- 3. THE MAX WIRE TO BE USED WITH THIS CONNECTOR IS #24 AWG.
- 4 .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
- 5 GOLD PLATED PER MIL-G-45204 OVER NICKEL PER QQ-N-290.
- 6 TIN-LEAD PLATED PER MIL-T-10727.
- 7 SELECTIVELY LOADED; POSITIONS 1 THRU 12, 17 THRU 20, AND 25 THRU 36, FOR 205629-2 ONLY.
- 8 .000100 MIN TIN OVER .000050 MIN NICKEL.
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

SUGGESTED PANEL CUTOUT

NOTES	POST PLATING	DIM B	DIM A	CONTACT FINISH	PART NUMBER
9	8	.017	.659	5	1-205629-2
OBSOLETE	8	.017	.215	5	1-205629-1
	8	.000	.810	5	1-205629-0
	8	.000	.810	5	205629-9
OBSOLETE		.005	.810	6	205629-8
OBSOLETE		.017	.160	5	205629-7
9 OBSOLETE	4	.017	.659	5	205629-5
INACTIVATED		.000	.810	6	205629-4
	4	.017	.215	5	205629-3
9 OBSOLETE	4	.000	.810	5	205629-2
	4	.000	.810	5	205629-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MOYER 04/24/91	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES		CHK R. STONE 5-8-91	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	PRODUCT SPEC	
0 PLC ± -			APPLICATION SPEC	
1 PLC ± -			WEIGHT	
2 PLC ± -			SCALE 2:1	
3 PLC ± .005			SHEET 1 OF 1	
4 PLC ± -			REV Z1	
ANGLES ± -			RESTRICTED TO	
FINISH CONTACTS: SEE TABLE		SIZE CAGE CODE DRAWING NO		
POSTS: SEE TABLE		A2 00779 C=205629		
MATERIAL HOUSING: PHENOLIC, MIL-M-14, TYPE CFG, COLOR: BLACK		CUSTOMER DRAWING		